

Message

From: Donaldson, Guy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D2A0969773664CC3B6EB1208748F1A5D-DONALDSON, GUY]
Sent: 8/19/2020 12:11:09 PM
To: Snyder, Erik [snyder.erik@epa.gov]; Feldman, Michael [Feldman.Michael@epa.gov]
CC: Imhoff, Robert [imhoff.robert@epa.gov]
Subject: RE: Xcel-SPS Harrington Station Data

So do we have anything?

From: Snyder, Erik <snyder.erik@epa.gov>
Sent: Tuesday, August 18, 2020 6:35 PM
To: Feldman, Michael <Feldman.Michael@epa.gov>
Cc: Imhoff, Robert <imhoff.robert@epa.gov>; Donaldson, Guy <Donaldson.Guy@epa.gov>
Subject: FW: Xcel-SPS Harrington Station Data

FYI

From: Joshua Smith <joshua.smith@sierraclub.org>
Sent: Tuesday, August 18, 2020 6:33 PM
To: Donaldson, Guy <Donaldson.Guy@epa.gov>; Snyder, Erik <snyder.erik@epa.gov>
Subject: Xcel-SPS Harrington Station Data

Guy and Erik,

I hope you're staying healthy, safe, and sane.

We're trying to track down some information about SO2 emissions and modeling out at SPS-Xcel's Harrington Station in west Texas, and I figured it wouldn't hurt to ask you.

Specifically, we're looking for:

1. Any recent modeling reports and underlying modeling files for compliance with the SO2 NAAQS. We're hoping that this might include stack base elevation, stack height, stack exit diameter, stack flow rate at different loads (100% and 50%), stack exit temperature at different loads (100% and 50%), building and structure dimensions, and the fenced boundary location.

and/or

2. The following data for 2017-2019: Hourly stack flow rate; Hourly stack temperature; and Hourly SO2 emissions.

Do you happen to have access to this information, or could you point me in the direction of someone who might?

Thank you!

Josh

--

Joshua Smith
Staff Attorney
Sierra Club Environmental Law Program
2101 Webster St., Suite 1300

Oakland, CA 94612
(415)977-5560
(510)208-3140 (fax)
(503)484-7194 (cell)

I check e-mail infrequently. For urgent matters, please call.

CONFIDENTIAL LEGAL COMMUNICATION/WORK PRODUCT

This e-mail may contain privileged and confidential attorney-client communications and/or confidential attorney work product. If you receive this e-mail inadvertently, please notify me and delete all versions from your system. Thank you.